

## Passive 10X Voltage Probe TPP0051 Datasheet



### TPP0051 Passive Voltage Probe

The TPP0051 probe is for use on BNC oscilloscopes with 1 M $\Omega$ /20 pF inputs.

### Key performance specifications

- 10X attenuation
- 50 MHz bandwidth
- 1.3 m length
- UL61010-031; 2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008

### Applications

- Low-frequency measurements
- Low-frequency computer and telecom measurements
- Power supplies
- Low-frequency amplifiers

## Specifications

All specifications are guaranteed unless noted otherwise. All specifications apply to all models unless noted otherwise.

### Electrical characteristics

Bandwidth	DC to 50 MHz
Rise time	<7 ns (typical)
Compensation range	15 pF to 25 pF
Input resistance	10 M $\Omega$ $\pm$ 1.5%
Input capacitance	<12 pF (typical)
Propagation delay	$\sim$ 6.1 ns
Maximum input voltage	300 V <sub>RMS</sub> CAT II

### Physical characteristics

Cable length	1.3 m (4.2 ft)
--------------	----------------

### EMC, environment, and safety

#### Temperature range

Operating	10 °C to +55 °C (14 °F to 131 °F)
Nonoperating	-51 °C to +71 °C (-60 °F to 160 °F)

Operating and nonoperating	5% to 95% relative humidity (%RH) up to 30 °C (86 °F), 5% to 65% RH above +30 °C (86 °F) up to +55 °C (131 °F)
----------------------------	--

#### Altitude

Operating	<3.0 km (9,842 ft)
Nonoperating	<12.2 km (40,026 ft)

## Ordering information

### Models

TPP0051 For use with BNC oscilloscopes with 1 M $\Omega$ , 20 pF inputs

### Standard accessories

003-1433-xx	Adjustment tool
013-0362-xx	Retractable hook tip
016-0633-xx	Color bands, 5 pairs
016-2028-xx	Long ground spring, 2 each
196-3521-xx	6 in. alligator ground lead

### Warranty

One-year warranty covering all parts and labor.

### Recommended accessories

013-0363-xx	Micro hook tip
013-0366-xx	Universal IC cap
013-0367-xx	BNC-to-probe tip adapter, unterminated
016-2016-xx	PCB-to-probe tip adapter, 10-pack
016-2034-xx	Short ground spring, 2 each
020-3045-xx	Wire, 32 AWG spool
131-8831-xx	Compact probe-tip chassis mount
196-3198-xx	6 in. clip-on ground lead with 0.025 in. pin receptacle
196-3512-xx	12 in. alligator ground
206-0569-xx	MicroCKT test tip



Tektronix is registered to ISO 9001 and ISO 14001 by SRI Quality System Registrar.

ASEAN / Australasia (65) 6356 3900  
Belgium 00800 2255 4835\*  
Central East Europe and the Baltics +41 52 675 3777  
Finland +41 52 675 3777  
Hong Kong 400 820 5835  
Japan 81 (3) 6714 3010  
Middle East, Asia, and North Africa +41 52 675 3777  
People's Republic of China 400 820 5835  
Republic of Korea +822 6917 5084, 822 6917 5080  
Spain 00800 2255 4835\*  
Taiwan 886 (2) 2656 6688

Austria 00800 2255 4835\*  
Brazil +55 (11) 3759 7627  
Central Europe & Greece +41 52 675 3777  
France 00800 2255 4835\*  
India 000 800 650 1835  
Luxembourg +41 52 675 3777  
The Netherlands 00800 2255 4835\*  
Poland +41 52 675 3777  
Russia & CIS +7 (495) 6647564  
Sweden 00800 2255 4835\*  
United Kingdom & Ireland 00800 2255 4835\*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777  
Canada 1 800 833 9200  
Denmark +45 80 88 1401  
Germany 00800 2255 4835\*  
Italy 00800 2255 4835\*  
Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90  
Norway 800 16098  
Portugal 80 08 12370  
South Africa +41 52 675 3777  
Switzerland 00800 2255 4835\*  
USA 1 800 833 9200

\* European toll-free number. If not accessible, call: +41 52 675 3777

For Further Information, Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit [www.tek.com](http://www.tek.com).


Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.



28 Jan 2016 51W-30155-1

[www.tek.com](http://www.tek.com)

**Tektronix**<sup>®</sup>



## Passive 10X Voltage Probe TPP0100, TPP0101 Datasheet



### Key features

- 10X Attenuation
- 100 MHz Bandwidth
- 1.3 m Length
- UL61010-031; 2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008
- Applications:
  - Relative low-frequency measurements
  - Low-frequency computer and telecom measurements
  - Power supplies
  - Low-frequency amplifiers

### TPP0100, TPP0101 Passive Voltage probes

The TPP0100 and TPP0101 probes are for use on BNC oscilloscopes with 1 M $\Omega$ /13 pF (TPP0100) and 1 M $\Omega$ /20 pF (TPP0101) inputs.

The TPP0100 and TPP0101 probes are 100 MHz, 10X passive voltage probes with 10 M $\Omega$  input resistance.

## Specifications

All specifications are guaranteed unless noted otherwise. All specifications apply to all models unless noted otherwise.

### Electrical characteristics

<b>Bandwidth</b>	DC to 100 MHz
<b>Rise time</b>	<3.5 ns (typical)
<b>Compensation range</b>	
<b>TPP0100</b>	8 pF to 18 pF
<b>TPP0101</b>	15 pF to 25 pF
<b>Input resistance</b>	10 M $\Omega$ $\pm$ 1.5%
<b>Input capacitance</b>	<12 pF (typical)
<b>Propagation delay</b>	$\sim$ 6.1 ns
<b>Maximum input voltage</b>	300 V <sub>RMS</sub> CAT II

### Physical characteristics

<b>Probe cable length</b>	1.3 m (4.2 ft)
---------------------------	----------------

### EMC, environment, and safety

<b>Temperature range</b>	
<b>Operating</b>	-10 °C to +55 °C (14 °F to 131 °F)
<b>Nonoperating</b>	-51 °C to +71 °C (-60 °F to 160 °F)
<b>Humidity</b>	
<b>Operating and nonoperating</b>	5% to 95% relative humidity (%RH) up to 30 °C (86 °F), 5% to 65% RH above +30 °C (86 °F) up to +55 °C (131 °F)
<b>Altitude</b>	
<b>Operating</b>	<3 km (9,842 ft)
<b>Nonoperating</b>	<12.2 km (40,026 ft)

## Ordering information

### Models

TPP0100	For use with BNC oscilloscopes with 1 M $\Omega$ , 13 pF inputs
TPP0101	For use with BNC oscilloscopes with 1 M $\Omega$ , 20 pF inputs

### Probe packages

TPP0101-PK10	10-pack of TPP0101 probes
TPP0101-PK50	50-pack of TPP0101 probes

### Standard accessories

003-1433-xx	Adjustment tool
013-0362-xx	Retractable hook tip
016-0633-xx	Color bands, 5 pairs
016-2028-xx	Long ground spring, 2 each
196-3521-xx	6 in. alligator ground lead

### Warranty

One-year warranty covering all parts and labor.

### Recommended accessories

013-0363-xx	Micro hook tip
013-0366-xx	Universal IC cap
013-0367-xx	BNC-to-probe tip adapter, unterminated
016-2016-xx	PCB-to-probe tip adapter, 10-pack
016-2034-xx	Short ground spring, 2 each
020-3045-xx	Wire, 32 AWG spool
131-8831-xx	Compact probe-tip chassis mount
196-3198-xx	6 in. clip-on ground lead with 0.025 in. pin receptacle
196-3512-xx	12 in. alligator ground
206-0569-xx	MicroCKT test tip



Tektronix is registered to ISO 9001 and ISO 14001 by SRI Quality System Registrar.

ASEAN / Australasia (65) 6356 3900  
Belgium 00800 2255 4835\*  
Central East Europe and the Baltics +41 52 675 3777  
Finland +41 52 675 3777  
Hong Kong 400 820 5835  
Japan 81 (3) 6714 3010  
Middle East, Asia, and North Africa +41 52 675 3777  
People's Republic of China 400 820 5835  
Republic of Korea +822 6917 5084, 822 6917 5080  
Spain 00800 2255 4835\*  
Taiwan 886 (2) 2656 6688

Austria 00800 2255 4835\*  
Brazil +55 (11) 3759 7627  
Central Europe & Greece +41 52 675 3777  
France 00800 2255 4835\*  
India 000 800 650 1835  
Luxembourg +41 52 675 3777  
The Netherlands 00800 2255 4835\*  
Poland +41 52 675 3777  
Russia & CIS +7 (495) 6647564  
Sweden 00800 2255 4835\*  
United Kingdom & Ireland 00800 2255 4835\*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777  
Canada 1 800 833 9200  
Denmark +45 80 88 1401  
Germany 00800 2255 4835\*  
Italy 00800 2255 4835\*  
Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90  
Norway 800 16098  
Portugal 80 08 12370  
South Africa +41 52 675 3777  
Switzerland 00800 2255 4835\*  
USA 1 800 833 9200

\* European toll-free number. If not accessible, call: +41 52 675 3777

**For Further Information.** Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit [www.tek.com](http://www.tek.com).


Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.



09 Feb 2016 51W-25690-2

[www.tek.com](http://www.tek.com)

**Tektronix**<sup>®</sup>





KİME - TO THE ATTENTION OF

KURUM / KURULUŞ - ORGANIZATION

FAKS - FACSIMILE

KONU - SUBJECT

Fiyat Teklifi İsteği - 20183525

KİMDEN - FROM

TUĞÇE GÜL (tugce.gul@tubitak.gov.tr)

FAKS - FACSIMILE

+90 312 590 9147

TEL - PHONE

+90 312 590

TARİH - DATE / SAYI - REFERENCE

16/07/2018

SAYFA SAYISI - NUMBER OF PAGES

1 sayfa

TÜBİTAK SAGE aşağıdaki ürünler için potansiyel isteklidir :

Sıra No	Öge Tanımı	Açıklama	Miktar(set, ad, ci, kg)	Teslim Süresi	Birim Ücret	Toplam Ücret
1	PROB	Osiloskop probu. Marka: Tektronix Model:TPP0100	5 ad			
2	PROB	Osiloskop probu. Marka: Tektronix Model:TPP0051	10 ad			

Lütfen teklifinizi, yukarıda tabloda yer alan verilere göre ve aşağıdaki noktaları göz önünde bulundurarak yapınız.

- Birim fiyat, toplam fiyat ve kur bilgileri açık bir şekilde belirtilmelidir.
- Teslim süresi belirtilmelidir.
- Ödemeler, **TCMB döviz alış kuru üzerinden**, muayene kabul komisyonu onayından sonra 4 hafta içerisinde yapılacaktır."